

ELECTRO CONTROL SYSTEMS INDIA PVT. LTD. INDUSTRIAL AUTOMATION SYSTEMS & CONTROL PANEL BUILDER



First Choice of Industrial Leader... Since 1999

Electrical Consultant | Turnkey Electrification Panel Builder | Govt. Approved Contractor



Our Success Story

Established in the Year of 1999 as Electro Control Systems and Started the in house Production of Electrical Panel Boards on very Small Infrastructure under the Leadership of Mr. Alpesh Patel, During the Span of time Nos. of Projects have been Designed and Successfully Completed,

Electro Control Systems Supplied the Panel Board in various Prestigious and well known Industries across the India, not only Corporate but we Got Registration in Nos. of Govt. Department '

In 2016 Electro Control Systems Got the Corporate Identity as Electro Control Systems India Pvt. Ltd. Today our we spread in wide working Space more than 20000 Sq. Feet in the Industrial Zone at Rajkot Gujarat, we are having in house facility to Manufacturing all Kind of Panel, our Fabrication shop is Fully Equipped Fiber Laser CNC Cutting machine, CNC Bending Machine, Punching Machine, Mig Welding Machine, and Ultra-Modern Seven Tank Powder Coating Plant, Fully Equipped with all Testing Facility in Assembly Shop, with more than 65 + People

Electro is an ISO Certified, CPRI Type tested Pioneer in Technology Leader that Manufactures Best in class Electrical LT/HT Panels. ECSIPL taking Turnkey Projects of Total Electrification

Economic Growth

2014

QUALITY BRANDS INDIA

Our Valuable Services

Electrical Panel Building Supply of Electrical Switchgears and Control gears Detailed Engineering, Consultation & Up gradation Electrical Maintenance & Services Instrumentation Products & Services Automation Products & Services Operation & Maintenance Services Solar EPC Consulting Turnkey Electrification

Electro is Clsss-A Electrical Contractor approved in major Central & State Govt. Department Such as MES, Railways, CONCOR, PWD, IOCL, BPCL, L&T Construction, Reliance, Nayara Energy, and many more Corporate Companies,





Indoor VCB Panels

Outdoor VCB Panels



VCB Panel

We are Manufacturing 11KV, 22KV, 33KV VCB Panel of Indoor as well Outdoor Application variant of ICOG, IC2OG, IC30G, IC40G in Customize Requirement and as per Project Requirements

VCB Panels are Generally used to Switching and Protection of the Transformer, A VCB Vacuum Circuit Breaker is such kind of Breaker that available in 20KA and 26.3KA Breaking Capacity, of 800A and 1250A There are three major Part in the Panel, 1) Breaker Compartment, 2) Metering and Protection Compartment, and 3) CT PT and Busbar Compartment



LBS Panel

11KV Load Break Switch Panel is Replacing of the DP Structure and GODO Switch, LBS is Outdoor Type and can be Installed at any where, it Consist of Load Break Switch up to 630A, HT Fuses, Earth Switch and On-Off Indication

With Shunt trip Facility

Models available with us 1)ICOG 2)IC2OG





CSS

Compact Sub Station includes HT Breaker, Transformer + LT Breaker all in one Enclosures, CSS Generally used in Hospitals, Mall, Motels,

Features :

- 1) Compact Size
- 2) Durable Out door Type IP 55
- 3) Lower Installation Cost
- 4) Easy to Handle
- 5) Cost Effective
- 6) Easier site Handling arrives in Single Shipment, No need to Co ordinate multiple Products Delivery
- 7) Savings Space and Operation Cost



PCC Panels



SPECIFICATION :

| Structure | IP 42/45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 2.0mm CRCA Sheet |
| Cable Entry | Top /Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Outgoing Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | MCCB/ACB/ MCB |
| Capacitor | APFC Relay/Cap. Duty Contactor/Thyristor /Reactor/HD Capacitors |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |

APPLICATION:

PCC - Power Control Center panel mainly used in Heavy Power

Distribution Systems, Load Measurement, AMF Systems & Power factor Correction more than 1000A up to 6300A

We follow IEC 61439 Standard, We have Complete in-house Facility to manufacturing PCC Panel up to 6300A,PCC panels are manufacturing by 14/16SWG, CRCA Duly Powder coating with 7 Tank Precoating Process for Long life,

We provide enough Space for Incoming and Outgoing Cable Termination, all Hardware, Nut-Bolt used of SS Metals

The Design of the PCC Panel are Robust and Rigidly Constructed Compartmentalized to suit wide range of Industries and Buildings, The Supporting Structure/Frame work are made with 3.0/5.0mm Thickness, the Doors Cover, Partitions and Panel are Fabricated with Hi-tech CNC Fiber laser Cutting Machine, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because " Engineers Always for you"



MCC Panels





SPECIFICATION:

| Structure | IP 42/45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 2.0mm CRCA Sheet |
| Cable Entry | Top /Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Outgoing Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | DOL/FASD/ATS/Soft Starters/VFD |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |
| | |

APPLICATION :

MCC (Motor Control Center) mainly used for Motor/Pump Starter, There are many type of Motor Starter

1)DOL (Direct On Line) Starter up to 7 Hp 2)FASD (Fully Automatic Star Delta Starter) up to 300HP 3)ATS (Auto Transformer Starter) up to 500HP 4)Soft Starter up to 500HP 5)VFD (variable Frequency Drive) up to 1000HP

We have Complete in-house Facility to Manufacture MCC Panel up to 750KW(1000HP), all Starters are Type-2Cordinated, with Desired Rating selection, MCC panels are manufacturing by 14/16SWG, CRCA duly 7 Tank Powder Coating Process, We have in-house Design and Development systems for Improvement of Quality and Productivity

We follow IEC 61439 Standard and Provide enough space for Incoming and Outgoing Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the MCC Panel are Robust and Rigidly Constructed to Suit wide range of Industries and Pumping Stations, The Supporting Structure/Frame work are made from 3.0/5.0mm Thickness steel Section, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because " Engineers Always for you"



APFC Panel



SPECIFICATION:

| Structure | IP 42/45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|--|
| Thickness | 2.0mm/3.15mm CRCA Sheet |
| Cable Entry | Top /Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Capacitor Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Capacitor | APFC Relay/Cap. Duty Contactor/Thyristor /Reactor/HD Capacitors |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |
| | |



APPLICATION :

APFC (Automatic Power Factor Correction) mainly used to Improve Powerfactor (0.95 to $1.0 \mbox{ Lag/Led})$ Type of APFC Panels are

 Capacitor + Cap. Duty Contactor (415V, 440V, 525V)
 Capacitor + Cap. Duty Contactor + 7% Detuned Reactor (415V, 440V, 525V)
 Capacitor + Thyristor Switching + 7% Detuned Reactor (415V, 440V, 525V)

We have Complete in-house Facility to Manufacture APFC Panel up to 1000KVAR, with Desired Rating selection of Capacitor, Cap. Duty Contactor, MCB, Wire Size, APFC panels are manufacturing by 14/16SWG, CRCA duly 7 Tank Powder Coating Process, We have in-house Design and Development systems for Improvement of Quality and Productivity

We follow IEC 61439 Standard and Provide enough space for Incoming and Capacitors Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the APFC Panel are Robust and Rigidly Constructed to Suit wide range of Industries and Buildings, The Supporting Structure/Frame work are made from 3.0/5.0mm Thickness steel Section, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because " Engineers Always with you"



AMF Panel / Synchronizing Panel



SPECIFICATION:

| Structure | IP 42/45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 2.0mm/3.15mm CRCA Sheet |
| Cable Entry | Top /Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Outgoing Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | MCCB/ ACB |
| Controller | AMF Relay, Synchronizing Relay |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |

APPLICATION :

AMF (Automatic Mains Failure) mainly used to Continuous Power Supply from Source - 1 and Other Standby Source, When one main Power Supply Gone away another Stand by Supply get Started and Out put Supply Switchover Automatically with all Protection and Metering

Type of AMF Panels are

1)AMF Panel (Auto Mains Failure) - to Switching hover one Source to Another Source

2)Synchronizing Panel - to Switching Over one source to another Source as well Synchronizing two or more than two Source in Single Loop Power Supply and Load Shearing System

We have Complete in-house Facility to Manufacture AMF Panel up to 1000KVA, with Desired Rating selection of Breaker, Contactor and Logical, AMF Panels are manufacturing by 14/16SWG, CRCA duly 7 Tank Powder Coating Process, We have in-house Design and Development systems for Improvement of Quality and Productivity

We follow IEC 61439 Standard and Provide enough space for Incoming and Outgoing Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the AMF Panel are Robust and Rigidly Constructed to Suit wide range of Industries and Buildings, The Supporting Structure/Frame work are made from 3.0/5.0mm Thickness steel Section, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because " Engineers Always with you"



OUTDOOR Feeder Pillar Panel



SPECIFICATION:

| Structure | IP 55 Outdoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 2.0mm/3.15mm CRCA Sheet |
| Cable Entry | Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Outgoing Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ SFU/CHANGEOVER/ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | ACB/MCCB/SFU/CHANGEOVER/MCB |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |
| | |



APPLICATION:

FEEDER PILLARS also known as Distribution Boards/Out-Door Panels, used for power distribution, where normal load shearing.

We have complete in-house facility to manufacture FEEDER PILLARS panel up-to 1000A, FEEDER PILLAR panels are manufacture by 14/16SWG CRCA duly seven tank powder coated process, we have in-house design and development system for improvement of quality and productivity.

We follow IEC 61439 Standard and Provide enough space for Incoming and Outgoing Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the FEEDER PILLARS are Robust and Rigidly Constructed to Suit wide range of Industries and Buildings, The Supporting Structure/Frame work are made from 3.0/5.0mm Thickness steel Section, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because " Engineers Always with you"



PDB Panel



SPECIFICATION :

| Structure | IP 45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 1.5/2.0mm CRCA Sheet |
| Cable Entry | Top /Bottom Side |
| Design | Welded / Modular/ Draw-out |
| Feeder & Compartment | Incomer Feeder, Outgoing Feeder, Busbar Compartment, Cable Alley, Metering Compartment |
| Incomer | MCCB/ SFU/CHANGEOVER/ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | ACB/MCCB/SFU/CHANGEOVER/MCB |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |
| | |



PDB (Power Distribution Panel) Panel mainly used for Power Distribution at indoor Application, IP-45 Type of PDB Panels are

1)Wall Mounted Distribution Panel 2)Front Openable Power Distribution Panel 3)Front & Rear Openable Power Distribution Panel

We have Complete in-house Facility to Manufacture PDB Panel up to 1600A, with Desired Rating selection of Breaker, Changeover, SFU, MCB and Contactor. Feeder Pillar Panels are manufacturing by 14/16SWG, CRCA duly 7 Tank Powder Coating Process, We have in-house Design and Development systems for Improvement of Quality and Productivity

We follow IEC 61439 Standard and Provide enough space for Incoming and Outgoing Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the PDB Panel are Robust and Rigidly Constructed to Suit wide range of Industries and Buildings, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because "Engineers Always with you"



Building Meter Panel



SPECIFICATION:

| Structure | IP 45 Indoor Type, Free Floor Standing Front and Rear Open able |
|---------------------------------|---|
| Thickness | 1.0/1.5mm CRCA Sheet |
| Cable Entry | Top/Bottom Side |
| Design | Welded/Customized |
| Feeder & Compartment | Incomer Feeder, Outgoing Compartment, Busbar Compartment, Cable Alley, Metering Compartment, Common Lighting Feeder |
| Incomer | MCCB/ SFU/CHANGEOVER/ACB |
| Metering | Digital Panel Meters + Indication lamp |
| Outgoing | CHANGEOVER/MCB /Single Phase / Three Phase Meters |
| Panel Wire | 0.75 Sq.mm to 25Sq.mm Single Core Copper Flexible wire(FR/FRLS) |
| Busbar | EC Grade Copper/Aluminum Flat bar |
| De-rating Factor of Busbar | for Copper 1 Sq.mm = 1.6A. For Aluminum 1 Sq.mm = 0.8A. |
| Panel Accessories & Hardware | SS 304 Nut Bolts, PU Gasket, Door Hinges, Lifting Hook |
| Paint | Duly Powder Coating with Precoating Process of 7 Tank |
| | |



APPLICATION:

Building Meter Panel mainly used for Multi stories Apartment /Commercial Buildings and Residential Colonies for Energy (KWH) Meters and Common Lighting Compartment

We have Complete in-house Facility to Manufacture Building Meter Panel up to 1600A single Phase as well Three Phase Meter Load with Desired Rating selection of Breaker, Changeover, SFU, MCB and Digital Energy Meter. Meter Panels are manufacturing by 16/18SWG, CRCA duly 7 Tank Powder Coating Process, We have in-house Design and Development systems for Improvement of Quality and Productivity

We follow IEC 61439 Standard and Provide enough space for Incoming and Outgoing Cable Termination, all Hardware Nut, Bolts used in side the Panel are of SS Metals.

The Design of the Meter Panel are Robust and Rigidly Constructed to Suit wide range of Industries and Buildings, The Doors Cover Partitions and Panel are Fabricated with Hi-tech CNC Fiber Laser Cutting and CNC Bending Machines, We Provide CPRI Type testing Report for IP42 and Short Circuit Test Report up to 5000A- 65KA for 2 Sec

we are Having more than 20 Years of Experience, Our Customize Solution and Design will Help to our Client for Betterment, Long lasting, Productivity and Trouble Less Solutions

We are with you always, Because "Engineers Always with you"

OUR OTHER VALUABLE SERVICES

Electrical Products Supply :



Detailed Engineering, Design Consultation & Upgradation

The company has full-fledged in-house engineering team with Computer Aided Design and Drafting system allowingfull flexibility for the design of Customer's requirements. This also facilitates fully computerized data bank for continuous evaluation and up-gradation of design, report & Load Calculations Equipment Selection & Schematic Diagrams, Cable Selection & Voltage Drop Calculations Complete Electrical Layout We have experienced electrical engineers who help estimating budget of any electrical work,Estimating turnaround time to complete any electrical audit etc. Our support for cable Routing layout and Schedule Provide support for equipment Selection Electrical inspection condition report Installation test report



Automation Products & Services



We are leading Industrial Automation Solutions provider, offering services wide range of applications and processes including Oil & Gas, Utilities and Manufacturing. We offer PLC/SCADA based solutions for discrete, batch, and continuous processes. We offer Asset Performance Management Solutions including Asset Online Condition Monitoring Solutions, Reliability Centered Maintenance (RCM) implementation improving Asset Performance, We also Offer Substation Automation and Electrical SCADA and Distribution Management Systems (DMS)We involved in manufacturing & supplying of wide array of PLC & SCADA Control Panels which are used for serving diverse applications. Further we offer PLC & SCADA Control Panels for Oil& Gas, Petrochemical, Water & Wastewater, Textile, Power, Paper, Plastic, Pharmaceutical, and various other industries.

Solar EPC Contractor & Consultant

We have large Experience in Solar Ground Mounted Plant Installation Our Service includes Liosonig, Projection, IR Calculation, Designing, Installation, Foundation, Procurement, Cabling, Approvals, Documentation, Certification and Operation Maintenance we have Successfully Installedd More than 100 MW Ground Mounted Solar Projects.





Switchgear



- MCA : C,TYPE B,TYPE -D,TYPE
- MCCB : TMF TMD TMA -MICROPROCESSORCESSOR BASED
- ACB : FIX TYPE MDO TYPE - EDO TYPE
- RCCB / RCBO: 30MA -100MA - 300MA
- Changeover : MANUAL
 -Monitorised
- Isolator
- Fuses

Controlgear



- Contactor
- Relays
- Push ButtonsIndication Lamp
- Overload relay
- MPCB
- Cap Duty Contactor

Capacitors and Reactors




- App Capacitors
- Box Type Capacitor
- Cylindrical Capacitor

Measuring Devices



- Digital Meter
- Multifunction meter





- Isolator
- Fuses

14

Current Transformers



Range Available :

| PRIMARY RATIO | VA RANGE | BUSBAR SIZE ID |
|------------------|------------|-------------------|
| 100 to 150 A | 3 TO 15VA | |
| 200 A | 3 TO 15VA | AS Per |
| 250 A | 5 TO 15VA | Requirment |
| 300 to 5000 A | 10 TO 15VA | |

Customized Sheet Metal Fabrication Work



7 Tank Powder Coating



Enclosures & Distribution Boxes



All inhouse Manufacturing Facilities



Segment Served

- Defence & MES
- Transportation
- Automobile
- Casting
- Forging
- Engineering

- Rubbers & Tyres
- Textiles
- Steels & Sugar
- Paper, Oil & Chemical
- Food & Beverages
- Pharama

- Ceramics
- Buildings & Malls
- Resorts, Hotels & Motels
- Hospitals & Educational Intuitional

```
Many More....
```

Government Approvels





Approvals



CPRI INDIA TESTED



IP - 54 - SHORT CIRCUIT 4000A - 65KA TESTED



ELECTRICAL CONTRACTOR





Design verified ABB Panal





NSIC ENLISTMENT



REGISTRATED







QUALITY BRAND AWARD WINNER 2014-16



NATIONAL GLORY AWARD WINNER 2017

Channel Partners











CLECTRO CONTROL SYSTEMS INDIA PVT. LTD. INDUSTRIAL AUTOMATION SYSTEMS & CONTROL PANEL BUILDER

Regd. & Corp. Off : Plot No.1123, Aji Industrial Area, Nr.Accurate Weigh Bridge, 80 Feet Road, RAJKOT-360 002. (GUJ.) INDIA

(+91-281-2387868 +91-98795 33006/95125 05020/21

🔀 sales@electrogroups.org | info@electrogroups.org

Branch Office : D 26, 1/1, Near ASB International Pvt Ltd, Anand Nagar Additional MIDC, Ambernath, Ambernath (East), Thane, Maharashtra, INDIA. projects@electrogroups.org

